



U L T R A - R E A L I S T I C P A P E R C R A F T



Assembly Instructions



MT-01

vol. **4**

Exhaust Pipes

Seat, right and left footrests

Thank you for downloading the super precise paper craft "MT-01" vol.4.
Please refer to this manual and assemble all the parts from vol.1 to vol.5.
A realistic recreation of the MT-01 will be the result.

■ Assembly instructions: Nine A4-sized sheets.

■ Paper craft: Seven A4-sized sheets with 98 parts in all

This is the assembly manual for "MT-01" vol.4.

Please download the parts data separately.

We recommend a somewhat thick A4 size paper
(about the thickness of a regular Japanese postcard)
to print out this parts data.

■ In creating these Paper Craft models we use
110kg Kent paper stock

To begin

■ Tools and materials needed

-Ruler - scissors - blade cutter or "Exacto-knife" - awl or other pointed tool (for making a folding crease) - felt pen - pin set - glue - hand towel (for cleaning your fingers) - dictionary or other heavy book (to press the papers flat).

■ Items of Caution

*Take care when using sharp or pointed objects or when using bladed cutting tools. Place a heavy sheet of paper under the paper you want to cut.

*Use glue and other adhesives only in well-ventilated areas.

*When printing, use a slightly reduced font size. There may be differences in dimensions, depending on the type of printer used.

How to assemble

*Follow the working method and markings carefully.

*Cut carefully along the outer line with cutting blade, Exacto-knife or scissors.

One - point Advice

*Cut carefully with cutting blade, Exacto-knife or scissors.

*For folding parts, first use an awl or other pointed tool to make a light crease along the dotted or solid line. This will make the folds straight. Avoid making strong creases, as this will cause the paper to tear.

*As an adhesive, white wood glue is recommended. Avoid over application as this may cause the paper to wrinkle.

*Before beginning assembly, test adhesive amounts on extra paper.


*Occasionally, white spots will be apparent on folds and cuts. Use a marker or pencil to fill in these spots. It is recommended that this be done after each stage of assembly because coloring becomes more difficult once parts are assembled.

Basic working method and markings

——— Solid lines

Fold along these lines.


The printed surface should be on the outside of the folded shape.



----- Broken lines


Fold along these lines.

The printed surface should be on the inside of the folded shape.




..... Dotted line


Cut along these lines.




Do not fold or cut the parts marked X.




Cut out parts marked with an asterisk(*).



Red dots are the reference positions for gluing surfaces.



Please glue them by aligning the red and red/blue and blue parts if they are marked on the paper.



8 Assembling the Exhaust Pipes

First, assemble each component by following the working method and markings. Then, refer to the illustration and photos below to glue the parts together.

Indication of Working Methods

---> Fold or Curve → Glue

Exhaust Pipes 1


Sheet H, 18 parts in total

Fold each relevant part according to the assembly symbols.

Please use the ● dots on each component as reference when gluing surfaces.

Glue in order from ① to ⑧ on the graphic.

*Assemble both sides. The diagram shows the left side. The number inside the () is for the right side.



Reference photo




Exhaust Pipes2

Sheet H, 8 parts in total

Glue in order from ① to ⑥ on the graphic.

* Do not paste H-19 & H-20.



Reference photo



8 Assembling the Exhaust Pipes

First, assemble each component by following the working method and markings. Then, refer to the illustration and photos below to glue the parts together.

Indication of Working Methods

---> Fold or Curve → Glue


Exhaust Pipes3

Sheet H, 9 parts in total

Fold each relevant part according to the assembly symbols.

Please use the ● dots on each component as reference when gluing surfaces.

Glue in order from ① to ⑦ on the graphic.




Reference photo



Exhaust Pipes4

Sheet H, 6 parts in total

*Assemble both sides. The diagram shows the left side. The number inside the () is for the right side.




Reference photo



Exhaust Pipes5

Sheet H, 12 parts in total

Glue in order from ① to ⑩ on the graphic.



Reference photo



8 Assembling the Exhaust Pipes

First, assemble each component by following the working method and markings. Then, refer to the illustration and photos below to glue the parts together.

Indication of Working Methods

---> Fold or Curve → Glue


Exhaust Pipes

Sheet H, 53 parts in total


Fold each relevant part according to the assembly symbols.

Please use the ● dots on each component as reference when gluing surfaces.

Connect each of the previously assembled parts in order from ① - ② according to the diagram.



Reference photo



9 Assembling the Seat

First, assemble each component by following the working method and markings. Then, refer to the illustration and photos below to glue the parts together.

Indication of Working Methods

---> Fold or Curve → Glue


Seat

Sheet 1, 8 parts in total


Fold each relevant part according to the assembly symbols.

Please use the ● dots on each component as reference when gluing surfaces.

Connect each of the previously assembled parts in order from ① - ⑧ according to the diagram.



Reference photo



10 Assembling the right and left footrests

First, assemble each component by following the working method and markings. Then, refer to the illustration and photos below to glue the parts together.

Indication of Working Methods

---> Fold or Curve → Glue


Left footrests1

Sheet J, 5 parts in total

Fold each relevant part according to the assembly symbols.

Please use the ● dots on each component as reference when gluing surfaces.

Glue in order from ① to ④ on the graphic.




Reference photo



Right footrests2

Sheet K, 5 parts in total




Reference photo



Right footrests3

Sheet K, 10 parts in total

Glue in order from ① to ⑨ on the graphic.



Reference photo



10 Assembling the right and left footrests

First, assemble each component by following the working method and markings. Then, refer to the illustration and photos below to glue the parts together.

Indication of Working Methods

---> Fold or Curve → Glue


Left footrests

Sheet J, 15 parts in total

Fold each relevant part according to the assembly symbols.

Please use the ● dots on each component as reference when gluing surfaces.

Connect each of the previously assembled parts in order from ① - ⑩ according to the diagram.



Reference photo



10 Assembling the right and left footrests

First, assemble each component by following the working method and markings. Then, refer to the illustration and photos below to glue the parts together.

Indication of Working Methods

---> Fold or Curve → Glue


Right footrests

Sheet K, 22 parts in total

Fold each relevant part according to the assembly symbols.

Please use the ● dots on each component as reference when gluing surfaces.

Connect each of the previously assembled parts in order from ① - ⑦ according to the diagram.



Reference photo

